



AEROQ

Organism notificat de Comisia Europeană

Număr de identificare 1840



CERTIFICAT DE CONSTANȚĂ A PERFORMANȚEI

nr.: 1840-CPR-99/91/EC/0868-24

În conformitate cu Regulamentul (UE) nr.305/2011 al Parlamentului European și al Consiliului din 9 martie 2011 (CPR), acest certificat se aplică produsului/produselor pentru construcții:

PRODUSE FABRICATE DIN VATA MINERALA BAZALTICA (vezi anexa)

Nivel/clase de performanta: A1; A2 (reactia la foc)

Domeniu de utilizare: izolarea termica a cladirilor

Introdus pe piață cu denumirea/marca

ISOVER

de catre SAINT-GOBAIN CONSTRUCTION PRODUCTS ROMANIA S.R.L.

Bucuresti, sector 1, One United Tower, Calea Floreasca, nr. 165, et. 10

Fabricat în:

Punct de lucru

Municipiul Ploiesti, Strada Mihai Bravu, nr. 233, Județul Prahova

Acest certificat atestă:

- îndeplinirea tuturor prevederilor privind evaluarea și verificarea constanței performanței specificate în anexa ZA a standardului/standardelor:

EN 13162:2012+A1:2015- SISTEM 1

- realizarea performanțelor declarate în acest certificat și evaluarea controlului producției în fabrică, efectuat de către fabricant, pentru a asigura:

CONSTANȚA PERFORMANȚEI PRODUSELOR PENTRU CONSTRUCȚII

Certificatul a fost emis inițial la **01.04.2024** și rămâne valabil dacă nu sunt modificate semnificativ: standardul armonizat, produsul pentru construcții, metodele și criteriile de evaluare și verificare a constanței performanței și a condițiilor de fabricație, în afară de cazul în care este suspendat sau retras de organismul notificat de certificare a produsului – AEROQ.

Valabilitatea certificatului este condiționată de efectuarea anuală a supravegherii și a evaluării continue a controlului producției în fabrică confirmată prin rapoartele rezultate.

Mentținerea valabilității certificatului poate fi confirmata la adresa www.aeroq.ro.

Data emiterii/actualizării

18.12.2024

ing.


Președinte C.A.,

Constantin AVRAM



PRODUSE FABRICATE DIN VATA MINERALA BAZALTICA

Produse	Forma de prezentare	Conductivitate termica declarata (W/mK)	Nivel de toleranta grosime	Reactia la foc	Efortul la compresiune la o deformare de 10% (kPa)	Rezistivitatea la trecerea aerului (kPa.s/m ²)
OPTI VENT, OPTI VENT NT	placa	0.035	T4	A1	5	20
AKUSTONE, EASY VENT, EASY VENT NT	placa	0.036	T4	A1	-	10
PLE MAX	placa	0.037	T3	A1	-	-
PLE MAX ALU	placa	0.037	T3	A2-s1,d0	-	-
OPTI VENT ALU	placa	0.035	T4	A2-s1,d0	5	-
AKUSTONE ALU	placa	0.036	T4	A2-s1,d0	-	-

Presedinte C.A.,
Ing. 
Constantin AVRAM





AEROQ
NOTIFIED CERTIFICATION BODY
NB-1840 from European Commission



CERTIFICATE OF CONSTANCY OF PERFORMANCE

No.: 1840-CPR-99/91/EC/0868-24

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

FACTORY MADE STONE MINERAL WOOL
(see annex)

Level/class of performance: A1; A2 (Reaction to fire)
Intended use: Thermal insulation for buildings

Placed on the market under the name/mark

ISOVER

by SAINT-GOBAIN CONSTRUCTION PRODUCTS ROMANIA S.R.L.

Bucuresti, sector 1, One United Tower, Calea Floreasca, nr. 165, et. 10

Manufactured at:

Plant

Ploiești, Strada Mihai Bravu, nr. 233 Județul Prahova

This Certificate attests:

- The fulfillment of all provisions regarding the Assessment and Verification of Constancy of Performance that were specified in Annex ZA of the Standard

EN 13162:2012+A1:2015- SISTEM 1

- The achievement of the performances declared in this Certificate and the Assessment of the Factory Production Control, conducted by the Manufacturer, to ensure

THE CONSTANCY OF PERFORMANCE OF THE CONSTRUCTION PRODUCTS

This certificate was first issued on **04/01/2024** and will remain valid as long as there are not significantly modified: the harmonized standard, the construction product, the test methods and criteria used for Assessment and Verification of Constancy of Performance and the manufacturing conditions, unless suspended or withdrawn by the product certification Notified Body - AEROQ

The validity of this certificate is conditioned by the annual external surveillance and continual evaluation of factory production control, confirmed by the resulting audit reports.

The validity of this certificate can be checked out at www.aeroq.ro.

Issue date/**Renewal date**
12/18/2024

C.A. President
ing.
Constantin AVRAME




AEROQ S.A. – Strada Feleacu, nr. 14 B, Sector 1, București, România

Annex to Performance Constancy Certificate no. 1840-CPR-99/91/EC/0868-24,
modified on 12/18/2024

FACTORY MADE STONE MINERAL WOOL

Products	Presentation form	Declared Thermal Conductivity (W/Mk)	Class for thickness tolerances	Reaction to fire	Compressive stress at 10% deformation (kPa)	Air flow resistivity (kPa.s/m ²)
OPTI VENT, OPTI VENT NT	board	0.035	T4	A1	5	20
AKUSTONE, EASY VENT, EASY VENT NT	board	0.036	T4	A1	-	10
PLE MAX	board	0.037	T3	A1	-	-
PLE MAX ALU	board	0.037	T3	A2-s1,d0	-	-
OPTI VENT ALU	board	0.035	T4	A2-s1,d0	5	-
AKUSTONE ALU	board	0.036	T4	A2-s1,d0	-	-

C.A., President
Eng. 
Constantin AVRAM

