

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** ISOVER EASY DECOR

**Safety data sheet no.:** XXP017957

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

The product is intended for professional or consumer use.

**Application of the substance / the mixture** Decorative wet render

**Uses advised against**

Food additive

Uses other than those recommended.

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Saint -Gobain Construction Products Romania SRL

București, Sector 1

One United Tower, Calea Floreasca nr. 165, etajul 10

Romania

Phone: +4021 207 57 51/50

e-mail: info.constructionproducts@saint-gobain.com

**1.4 Emergency telephone number:**

Contact: infotox@insp.gov.ro

Tel. 004021 318 36 06 Institutul National de Sanatate Publica

Opening hours 8:00 – 15:00

Emergency call 112

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Additional information:**

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

Keep out of reach of children.

Read carefully and follow all instructions

If medical advice is needed, have product container or label at hand

Avoid breathing dust/fume/gas/mist/vapours/spray

Avoid contact with the skin.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

(Contd. on page 2)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 1)

**vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties**

For information on endocrine disrupting properties see section 11.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Mixture based on acrylic resin, additives and mineral aggregates.

**Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	50-75%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

**SVHC**

This product does not contain any Substances of Very High Concern on the Candidate List (according to REACH regulation (EC ) No 1907/2006, article 57) in a concentration ≥ 0.1%/w.

**Additional information**

The supplemental labelling statement EUH211 is added on the label of this mixture on a voluntary basis as a precaution measure, to ensure maximum safety for users.

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard phrases refer to section 16.

EUG

(Contd. on page 3)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 2)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation** Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use.

#### After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

### 4.2 Most important symptoms and effects, both acute and delayed

Allergies may occur for predisposed subjects.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

### 5.2 Special hazards arising from the substance or mixture

Product is not flammable, explosive and does not catalyse or promote ignition of any other material.

In case of fire, the following can be released:

Carbon dioxide (CO<sub>2</sub>)

Carbon monoxide (CO)

### 5.3 Advice for firefighters

#### Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Use methods suitable to surrounding conditions.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Contaminated protective equipment should be cleaned (by washing).

**For non-emergency personnel** Use personal protective equipment.

**For emergency responders** No special equipment is required.

(Contd. on page 4)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 3)

### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use containment methods recommended for liquid products in pasty form.

Dispose of contaminated material as waste according to section 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Do not drink or eat while working. Wash hands thoroughly before breaks and after finishing work.

Remove contaminated clothing and protective equipment before entering the dining room.

**Information about fire - and explosion protection:** The product is not flammable

**Handling** The palletized product should be handled with adequate mobile equipment.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Store only in non-damaged packaging

**Information about storage in one common storage facility:** Store away from foodstuffs.

#### Further information about storage conditions:

Store on wooden pallets, covered with PE film.

Protect from freezing.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

**Recommended storage temperature:** 5-30°C.

### 7.3 Specific end use(s)

The product is intended to be used according to point 1.2. No other use is recommended.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

#### DNELs

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m <sup>3</sup> (worker systemic long term value) 1.2 mg/m <sup>3</sup> (consumer systemic long term value)

(Contd. on page 5)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 5)

The hands must be cleaned from the powder before putting on the gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.


**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Butyl rubber, BR

Nitrile rubber, NBR

**Eye/face protection**

Goggles recommended during refilling

Wear safety glasses or visor helmet for spray application.


**Body protection:**

**Thermal hazards** No further information available.

**Environmental exposure controls**

Prevent enter of the product into drains, surface and groundwater and soil.

### SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**
**General Information**
**Physical state**

Fluid

**Colour:**

Various colours

**Odour:**

Characteristic

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

Undetermined.

**Flammability**

Product is not flammable.

**Lower and upper explosion limit**
**Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

Not applicable

**Auto-ignition temperature:**

Not determined.

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

8-9

**Viscosity:**
**Kinematic viscosity**

Not determined.

**dynamic:**

Not determined.

**Solubility**
**Water:**

Miscible

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure:**

Not determined.

(Contd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 6)

### Density and/or relative density

Density at 20 °C:	1.9 g/cm <sup>3</sup>
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

### 9.2 Other information

#### Appearance:

Form: Pasty

#### Important information on protection of health and environment, and on safety.

Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
EU-VOC (g/L)	28.0000 g/l

### Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** Not reactive under normal conditions of use

**10.2 Chemical stability** Stable at recommended storage conditions

#### Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

#### 10.4 Conditions to avoid

Avoid frost

Keep away from heat sources.

**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 7)

### 10.6 Hazardous decomposition products:

No hazardous decomposition products should be generated under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1317-65-3 calcium carbonate</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>Aqueous dispersion of a polymer based on: acrylic ester, styrene</b>			
Oral	LD50	>2,000-10,000 mg/kg	(Rat)
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>			
Oral	LD50	>490 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>			
Oral	LD50	457 mg/kg	(Rat)
Dermal	LD50	660 mg/kg	(Rabbit)
Inhalative	LC50/4 h	2.36 mg/l	(Rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Sensitising effect by skin contact is possible by prolonged exposure.

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

None of the ingredients is listed.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

(Contd. on page 9)



## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 8)

**Type of test / Effective concentration / Method / Assessment**
**CAS: 1317-65-3 calcium carbonate**

LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/48h	>1,000 mg/l (Daphnia magna)
EC50/72h	>200 mg/l (Algae)

**Aqueous dispersion of a polymer based on: acrylic ester, styrene**

LC50/96h	>100 mg/l (Brachydanio rerio (zebra danio))
EC50/48h	>100 mg/l (Daphnia magna)
EC50/72h	>100 mg/l (Scenedesmus subspicatus (Algae))

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

LC50/96h	2.2 mg/l (Fish)
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (aquatic invertebrates)
EC50/72h	0.11 mg/l (aquatic algae and cyanobacteria)
	0.067 mg/l (Pseudomonas putida (Bacteria))
NOEC (72h)	0.0403 mg/l (aquatic algae and cyanobacteria)

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
NOEC (28d)	0.098 mg/l (Fish)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential**
**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EBAB 0.7 log Pow

**CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)**

EBAB 0.75 log Pow

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**
**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 10)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 9)

### 12.7 Other adverse effects

#### Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment	
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>	
EC 50 (3h)	10.3 mg/l (microorganisms)
<b>CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)</b>	
EC 50 (3h)	4.5 mg/l (microorganisms)

#### Additional ecological information:

**General notes:** Do not allow product to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Dispose of the product in accordance with national and local regulations.

It is recommended to collect product and packaging waste selectively

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of Directive 2008/98/EC regarding waste management.

Physico-chemical properties of the product that could affect waste treatment options: not applicable.

If not contaminated, the product can be reused without restrictions in accordance with the Technical Data Sheet and this Safety Data Sheet.

Dispose of waste according to the European list of wastes established by Commission decision of 3 May 2000 (2000/532/EC).

It is recommended to send waste to waste collection centers, according to Romanian Law no. 249/2015 regarding the way of managing packaging and packaging wastes and Romanian OUG 92/2021 regarding the waste regime, with modifications and additions.

European waste catalogue	
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
15 01 02	plastic packaging

#### Uncleaned packaging:

#### Recommendation:

Disposal must be made according to official regulations.

Dispose of packaging according to regulations on the disposal of packagings.

## SECTION 14: Transport information

<b>14.1 UN number or ID number</b> ADR, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, IMDG, IATA	Void

(Contd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 10)

### 14.3 Transport hazard class(es)

**ADR, ADN, IMDG, IATA  
Class**

Void

### 14.4 Packing group

**ADR, IMDG, IATA**

Void

### 14.5 Environmental hazards:

Not applicable.

### 14.6 Special precautions for user

Not applicable.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

### Transport/Additional information:

Not dangerous according to the above specifications.

### UN "Model Regulation":

Void

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Directive 2004/42/EC (VOC), cf. section 9

Directive 2008/98/EC on waste, as amended (EU Waste Framework Directive)

Directive 94/62/EC on packaging and packaging waste, and its amendments

Shelf-life of the product: see details on the packaging.

GD (Romanian Government decision) no. 1218 of 06/09/2006 regarding the establishment of minimum safety and health requirements at work to ensure the protection of workers against risks related to the presence of chemical agents, amended and supplemented by Decision no. 1 of January 4, 2012 and Decision no. 359 of 2015

Romanian Order no. 163 of 28/02/2007 regarding the approval of the General Fire Protection Rules.

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

#### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

#### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 12)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 11)

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H310 Fatal in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:** Research & Development

**Contact:**

Ioana Alexandrescu

0040749087941

ioana.Alexandrescu@saint-gobain.com

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

(Contd. on page 13)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 29.03.2024

Version number 1

Revision: 29.03.2024

**Trade name: ISOVER EASY DECOR**

(Contd. of page 12)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

— EUG —